

What's new in contraception?

Dr Zara Haider
FRCOG, MFSRH, Dip. GUM
Consultant SRH, Kingston Hospital

2nd July 2019







Contents of presentation

- New/updated FSRH guidelines
- Online prescribing
- Natural cycles app
- Kyleena IUS
- IUB
- Postpartum contraception





CEU Guidelines Update

 CHC (update Jan 2019) – emphasis on tailored regimens, 12/12 supply

 Progestogen only injection (update April 2019) – Sayana press added, injection site reactions



• Which is **false** regarding obesity and emergency contraception:

1. If weight 75Kg, 3mg LNG - EC is needed (double dose)

2. UPA – EC may be less effective if BMI >30Kgm² or weight >85Kg

3. Offer PC IUD second line if oral EC is inappropriate



• Which is **false** regarding obesity and emergency contraception:

1. If weight 75Kg, 3mg LNG - EC is needed (double dose)

2. UPA – EC may be less effective if BMI >30Kgm² or weight >85Kg

3. Offer PC IUD second line if oral EC is inappropriate



Which is true regarding obesity:

1. Pre pregnancy, 5mg folic acid is recommended

2. BMI >35Kgm² is UKMEC 4

3. The subdermal implant is less effective if BMI >35Kgm²



Which is true regarding obesity:

1. Pre pregnancy, 5mg folic acid is recommended

2. BMI >35Kgm² is UKMEC 4

3. The subdermal implant is less effective if BMI >35Kgm²



Overweight, obesity and contraception (new April 2019)

- Pregnancy prevention and planning critical
- Pros and cons of different methods
 - IUC, SDI ok
 - Oral methods (inc. EC)— concern if medication causing D+/-V or bariatric surgery
 - Patch care if >90Kg
 - CHC BMI >35Kgm² is UKMEC 3
 - MPA use SC or depo to deltoid, care if multiple risks for CV disease






CEU statement on PC IUD antibiotic cover (May 2019)


• First line – Doxycycline 100mg BD 7/7


- However, small risk of ongoing pregnancy (<1%), limited evidence on risk of foetal exposure in v. early first trimester
- Discuss with patient

Second line – Azithromycin 1g followed by 500mg for 2 days


On line contraception











CareQuality DrFox



You can buy your contraceptive pill online without a prescription, since our doctors can penerate one for you after completing an online assessment. If you need the contraceptive pill, our online doctorand pharmacy services can assess, prescribe to answer all questions as fully as you can. Our online doctor, who is a GMC registered and UK educated professional, will assess your suitability for the pill. A prescription will wholesalers), and send it out in discreet packaging.

The service is for women who are already taking a particular pill prescribed by their GP. and need a repeat supply. It is still important to get your main supply from your own GP. include Cerazette, Yasmin, Microgynon and Rigevidon.

You can be sure you are receiving your medication from a trusted online pharmacy and online doctor in the UK

COMPARE PRICES



✓ Save time



Order Contraceptive Pil Online

cription online direct to our

How to order

1. Medical guestionnaire about your health.


2 Doctor review

3 Fast discreet delivery



Comparison of 10 online sites

- >18yrs
- Questionnaire
- All include UKMEC contraindications
- Reviewed by Dr prior to dispensing
- If never tried CHC, only allowed POP
- Height, weight and BP within last year
- 3 6 months supply
- Variable CHC / POP brands (ring and patch)
- SH:24 informative, good layout, but out of area!
- Treated.com "ever pressured to have sex" and links to useful advice
- All rely on patient honesty!











FSRH / BASHH standards for online services (Jan 2019)

- Benchmark for all providers
- Tool for commissioning services
- For service users

- Safe
- Effective
- Kindness, respect and compassion
- Responsive
- Governance and leadership





Standards for Online and Remote Providers of Sexual and Reproductive Health Services


Joint BASHH/FSRH Standard

January 2019



Natural cycles app







Swedish authorities complete assessment of Natural Cycles app and found......



Criticisms:

- Not RCT
- Studies funded by Natural cycles and used their researchers
- 34% drop out
- Social media regulation



ment Education Society Science Tech Global development Cities Obituaries

Natural Cycles app: highly accurate contraceptive claim misled consumers

The UK's advertising watchdog rules against company over its marketing of the app



News

Advert for 'Natural Cycles' contraceptive app banned for exaggerating effectiveness







Kyleena






Comparison of 3 LNG - IUS

	52mg LNG IUS	Jaydess	Kyleena
	Q Q		
LNG content (mg)	52	13.5	19.5
Average LNG in vivo release over Yr 1	20μg/24hrs	8μg/24hrs	12μg/24hrs
Max duration of use (yrs)	4 - 5	3	5
T-frame dimensions (mm)	32 x 32	28 x 30	28 x 30
Insertion tube diameter (mm)	4.4 – 4.8	3.8	3.8
Silver ring	No	Yes	Yes
Colour of threads	Brown	Brown	Blue

Mirena v Kyleena v Jaydess Bleeding/Spotting





Gemzell-Danielsson et al. 2012

www.fsrh.org/news/fsrh-ceu-new-product-review-kyleena-195mg-levonorgestrel/



• By five years, the expected amenorrhoea rate with Kyleena is:

1. 12%

2. 17%

3. 23%



• By five years, the expected amenorrhoea rate with Kyleena is:

1. 12%

2. 17%

3. 23%

Bleeding patterns reported with Kyleena™ in clinical trials: (by 90-day reference periods)¹

		And the second second			
Kyleena TM -treated patients	First 90 days N=1566	Second 90 days N=1511	End of year 1 N=1371	End of year 3 N=975	End of year 5 N=530
Amenorrhea (no bleeding/spotting)	<1%	5%	12%	20%	23%
Infrequent bleeding (1 or 2 bleeding/ spotting episodes)	10%	20%	26%	26%	26%
Frequent bleeding (>5 bleeding/ spotting episodes)	25%	10%	4%	2%	2%
Prolonged bleeding* (bleeding/ spotting episodes that last >14 days)	57%	14%	6%	2%	1%
Irregular bleeding (3-5 bleeding/spotting episodes and <3 inter- vals with no bleeding/ spotting in ≥14 days)	43%	25%	17%	10%	9%



Levosert

- Generic 52mg LNG IUS
- Licenced for 5 yrs for contraception and HMB (NOT for endometrial protection)
- Cost £66


• Cost comparison per year:

Mirena	£17.60

Levosert £13.20

Kyleena £15.20


Jaydess £23.07








Intrauterine ball







Malpositioned IUDs




Ultrasound Obstet Gynecol 2009; 34: 110-115



IUB v TT380 2yr results for pain

n = 366



^{**} p<0.01, * p<0.05; calculated using Wilcoxon Rank Sum test





Pharmacovigilance data



- 38,662 insertions (Feb 2015 June 2017)
 Austria, Switzerland, Germany, Israel, Slovakia, Spain, Hungary and Belgium
- 68 expulsions (1.6%)
- 42 pregnancies (1 ectopic) (99.89% efficacy)
- 11 perforations (1:3514)





• Regarding post pregnancy contraception, which is false:

1. IUC 0 - 48hrs post partum is UKMEC 1

2. CHC 6/52 – 6/12 post partum is UKMEC 2

3. DMPA 0 - 3/52 post partum is UKMEC 3



• Regarding post pregnancy contraception, which is false:

1. IUC 0 - 48hrs post partum is UKMEC 1

2. CHC 6/52 – 6/12 post partum is UKMEC 2

3. DMPA 0 - 3/52 post partum is UKMEC 3

Postpartum contraception















We have discussed....

- New/updated guidelines
- Online prescribing
- Natural cycles app
- Kyleena
- IUB
- Post partum contraception



Any questions?



zara.haider@nhs.net